JOURNAL OF ADVANCED ELECTRICAL AND ELECTRONIC ENGINEERING

Vol 2 Issue 2 (2026)

http://jaeee.org/

Artificial Intelligence-Based Fault Detection in Electrical Power Systems

Elena Marquez

Department of Electrical Engineering, International Institute of Energy Technology, Madrid, Spain

Abstract

Electrical power systems are increasingly complex because of growing electricity demand, renewable energy integration, distributed generation, and the expansion of digital monitoring technologies. These developments create new challenges for detecting and diagnosing faults quickly and accurately. Artificial intelligence (AI) offers methods for identifying patterns in electrical measurements that may be difficult to distinguish using fixed thresholds alone. This article reviews the application of AI to fault detection, classification, and location in power systems. It discusses commonly used data sources, signal processing techniques, machine learning algorithms, and deep learning models. A practical framework is presented for collecting electrical measurements, preparing datasets, training models, and integrating diagnostic outputs into power system monitoring. The article also considers challenges involving limited fault data, imbalanced classes, changing network conditions, cybersecurity, interpretability, and real-time operation. The review finds that AI can support faster and more informative fault diagnosis, but its effectiveness depends on representative data, appropriate testing, and careful integration with established protection systems. Future research should focus on robust and explainable models, realistic field validation, and improved cooperation between AI-based monitoring and conventional protection devices.

Keywords

Artificial intelligence, fault detection, power systems, machine learning, smart grids

INTRODUCTION

Electrical power systems are essential to economic development, public services, transportation, and everyday life. Their reliable operation depends on the continuous monitoring and protection of generation, transmission, and distribution infrastructure. Faults can occur because of insulation failure, equipment deterioration, lightning, vegetation contact, adverse weather, or accidental damage. If a fault is not detected and isolated promptly, it can damage equipment,

interrupt electricity supply, or contribute to a wider system disturbance. Conventional protection systems commonly use electrical quantities such as current, voltage, impedance, and frequency to identify abnormal conditions. These methods remain fundamental to power system safety. However, changes in network configuration and the integration of inverter-based renewable generation can make fault behavior more variable. Some events, particularly high-impedance faults, may also produce signals that are difficult to distinguish from normal operating variations. Artificial intelligence provides a data-driven approach to analyzing these conditions. Machine learning models can be trained to recognize relationships between measurements and known fault events, while deep learning models can learn features directly from waveforms or other complex data. Researchers have investigated these methods for fault detection, classification, and location across different power system components [1, 2]. This article presents a literature-based discussion of AI-based fault diagnosis. It describes the main fault types, data sources, analytical methods, practical applications, and limitations relevant to electrical power systems.

Understanding Faults in Electrical Power Systems:

A fault is an abnormal electrical condition that disrupts the expected operation of a power network. Short-circuit faults can be classified as single line-to-ground, line-to-line, double line-to-ground, and three-phase faults. Each type produces a different combination of changes in current and voltage. Single line-to-ground faults involve contact between one phase and ground, while three-phase faults affect all phases and can produce severe disturbances. Faults may also be classified according to their duration. A temporary fault may disappear after the affected circuit is disconnected and re-energized, while a permanent fault requires inspection and repair. Other problems develop gradually, including insulation deterioration, overheating, and loose connections. These incipient faults may not immediately interrupt power supply but can become serious if they remain undetected [3]. High-impedance faults present a particular challenge because their current may be too low to trigger some conventional protection settings. Examples can include a conductor contacting a resistive surface. AI models can help examine subtle waveform characteristics, although performance depends on the quality and diversity of the training data [4].

Artificial Intelligence in Power System Protection:

Artificial intelligence refers to computational methods that perform tasks associated with learning, pattern recognition, and decision support. In power system fault diagnosis, an AI model can analyze electrical measurements and estimate whether an event is normal or faulty. More detailed models may identify the type of fault or estimate its location. Machine learning algorithms generally require a dataset containing examples of different operating conditions. During training, the model learns relationships between measured features and their associated labels. Once trained and validated, it can analyze new measurements and produce a prediction. Common techniques include decision trees, random forests, support vector machines, and artificial neural networks [1, 2]. AI-based fault diagnosis can serve as an additional source of information for engineers and operators. For example, a model may provide an early warning of an unusual waveform or assist in identifying a faulted feeder. Before any model is used in automatic protection, however, it must be validated against demanding reliability, timing, and safety requirements.

Data Collection and Signal Preprocessing:

Reliable fault diagnosis begins with suitable measurements. Power system data may come from current and voltage sensors, protective relays, digital fault recorders, phasor measurement units, and supervisory control and data acquisition systems. Transformer monitoring may also use temperature readings, oil characteristics, and dissolved gas analysis. The choice of data depends on the equipment and the type of fault being studied [5]. Raw measurements often require

preprocessing before they can be used by an AI model. Preprocessing may include removing incorrect records, handling missing values, synchronizing measurements, filtering noise, and scaling variables. Measurements can then be divided into time windows representing normal operation or a specific event. Careful labeling is essential because incorrectly identified events can mislead the model during training. Signal processing techniques can also help reveal useful characteristics. For example, frequency analysis can identify harmonic content, while time-frequency techniques can describe how signal components change during a disturbance. The selected processing method should match the sensor sampling rate and the time available for a decision.

Machine Learning Methods for Fault Detection:

Traditional machine learning models typically rely on features calculated from raw measurements. These features may include root mean square current, voltage magnitude, phase angle, frequency, harmonic content, and measures of signal variation. Engineers select features that are expected to change when a fault occurs.A decision tree uses a sequence of decision rules to classify an event. A random forest combines many decision trees and can model complex relationships among features. A support vector machine seeks a boundary that separates classes in the feature space. These methods can perform well when the training data are representative and the selected features capture the relevant fault behavior [2]. Each method has limitations. A model trained on one network may not perform equally well on a different network, especially if equipment, operating conditions, or sensor placement change. Therefore, algorithms should be compared using the same datasets, validation procedures, and operational measures rather than accuracy alone.

Deep Learning for Fault Classification:

Deep learning models use multiple computational layers to learn representations of data. They can reduce the need for manually selecting every feature, especially when large quantities of waveform data are available. Convolutional neural networks can identify local patterns in current and voltage signals, while recurrent models such as long short-term memory networks are designed to process sequences over time. A deep learning system may receive a sequence of voltage and current measurements and produce a classification such as normal operation, line-to-ground fault, or line-to-line fault. Some systems transform signals into time-frequency images before classification. Researchers have also investigated hybrid approaches that combine signal processing and neural networks [6, 7]. Despite their potential, deep learning models can require substantial training data and computing resources. They may also be difficult to interpret. A high classification score on simulated data does not by itself demonstrate that a model will work reliably under field conditions, particularly when the network experiences events that were absent from the training dataset.

Proposed AI-Based Fault Detection Framework:

A practical fault detection framework begins with the collection of synchronized voltage and current measurements from relevant network locations. Historical fault records and simulated events can be used to develop a dataset covering normal operation, switching events, different fault types, varying fault resistance, and changes in network configuration. After cleaning and labeling the data, engineers can prepare separate training, validation, and test datasets. Events from the same fault scenario should not be divided across these sets in a way that gives the model advance exposure to nearly identical waveforms. The selected model can then be trained to detect faults and, where appropriate, classify their type or estimate their location. During operation, the framework would receive new measurements, preprocess them, and produce a fault probability or classification. Its output could be displayed to an operator or evaluated alongside the output of a conventional protective relay. If data quality is poor or the model is

uncertain, the system should report that uncertainty and follow an established fallback procedure. Independent protection functions remain essential until any automatic use of the model has been rigorously verified.

Illustrative Fault Waveform and Performance Evaluation:


The graph below shows a synthetic example of a current waveform whose amplitude increases after an assumed fault onset. The signal is included to illustrate a possible change that a detection system might analyze. It is not a measurement from an actual power system and should not be presented as experimental evidence. Evaluation of a fault detection model should include more than overall accuracy. Recall indicates the proportion of actual faults detected, while precision indicates the proportion of fault alerts that correspond to real faults. False alarms and missed faults are both important because they have different operational consequences. A confusion matrix can show how often the model confuses individual fault classes. Other useful measures include detection time, fault-location error, robustness to measurement noise, and performance under changing network conditions. Testing should include rare and challenging events, including high-impedance faults and non-fault disturbances such as switching. Results should be reported separately for each relevant fault type whenever possible.

Applications in Modern Power Networks:

AI-based fault diagnosis has potential applications throughout the electricity supply system. In transmission networks, models can analyze measurements from both ends of a line to assist with fault classification and location. Faster identification of the affected section can help maintenance teams prioritize inspection and restoration activities. In distribution networks, the growing use of rooftop solar, battery storage, and electric vehicle charging can change power flow and fault behavior. AI methods may help operators analyze these more variable conditions when they are trained and tested on representative network configurations [8]. Power transformers are another important application area. Transformer condition monitoring may combine dissolved gas analysis with temperature, vibration, or other measurements. Machine learning can support the interpretation of these data and help identify patterns associated with equipment deterioration [5]. Similarly, AI can assist with monitoring generators, motors, and power electronic equipment.

Challenges and Future Research Directions:

One major challenge is the limited availability of accurately labeled real-world fault data. Severe faults are relatively rare, and utilities may restrict access to operational records. Simulated data can broaden the range of training examples, but simulated waveforms may not capture every characteristic of actual equipment and field conditions. Another challenge is class imbalance, which occurs when normal operating data greatly outnumber examples of rare faults. A model may appear accurate simply because it predicts normal operation frequently. Researchers should therefore evaluate individual fault classes and report missed detections, false alarms, and uncertainty. Models must also remain effective as systems change. New renewable energy sources, modified protection settings, sensor failures, and changes in network topology can alter the relationship between measurements and faults. Future work can investigate transfer learning, explainable AI, privacy-preserving collaboration, and methods that incorporate electrical system knowledge into model design [6, 9]. Finally, the use of AI in operational networks requires attention to cybersecurity, communication reliability, maintenance, and human oversight. Field trials and independent validation are necessary to establish whether a model can satisfy the requirements of a particular utility and protection application.



Synthetic waveform for illustration; not experimental measurements.

Summary

Artificial intelligence provides useful methods for analyzing the large quantities of data generated by modern electrical power systems. Machine learning and deep learning models can support the detection, classification, and location of faults by identifying patterns in voltage, current, and other measurements. Their applications extend across transmission lines, distribution networks, transformers, and other electrical equipment. The effectiveness of these methods depends on representative datasets, appropriate preprocessing, careful model evaluation, and reliable integration with existing protection systems. AI should be assessed under realistic operating conditions, including noisy measurements, rare faults, and changing network configurations. Continued research into explainability, data quality, field validation, and computational efficiency can improve the practical usefulness of intelligent fault diagnosis.

References

"Machine learning applications in power system fault diagnosis: Research advancements and perspectives." *Engineering Applications of Artificial Intelligence*, 106, 104504, 2021. https://doi.org/10.1016/j.engappai.2021.104504. ScienceDirect

Shakiba, F. M., Azizi, S. M., Zhou, M., and Abusorrah, A. "Application of machine learning methods in fault detection and classification of power transmission lines: A survey." *Artificial Intelligence Review*, 56, 5799–5836, 2023. https://doi.org/10.1007/s10462-022-10296-0. New Jersey Institute of Technology

"Incipient fault detection in power distribution networks: Review, analysis, challenges, and future directions." *IEEE Access*, 12, 112822–112838, 2024. https://doi.org/10.1109/ACCESS.2024.3443252. IEEE Xplore

"An extensive analysis of machine learning algorithms for the identification and differentiation of high impedance faults in various power network topologies." *Results in Engineering*, 30, 110421, 2026. https://doi.org/10.1016/j.rineng.2026.110421. ScienceDirect

Mashifane, L. D., Mendu, B., and Monchusi, B. B. “State-of-the-art fault detection and diagnosis in power transformers: A review of machine learning and hybrid methods.” *IEEE Access*, 13, 48156–48172, 2025. https://doi.org/10.1109/ACCESS.2025.3546861. DOAJ

“Deep learning for fault diagnosis in power transmission lines: Current trends, limitations, and future directions.” *IEEE Access*, 13, 192105–192142, 2025. https://doi.org/10.1109/ACCESS.2025.3628908. IEEE Xplore

Smart grid fault detection and classification with ranked phase current spectrograms feature selection and using compact neural models.” *IEEE Access*, 14, 47583–47596, 2026. https://doi.org/10.1109/ACCESS.2026.3677780. doi.org

Razick, F. R. M., and Musilek, P. “Deep learning for short-circuit fault diagnostics in power distribution grids: A comprehensive review.” *Computers*, 15(2), 76, 2026. https://doi.org/10.3390/computers15020076. mdpi.com

Krishna, P. “Emerging AI for resilient smart-grid fault detection: An evidence-based capability synthesis, maturity assessment, and research roadmap.” *Journal of Electrical Systems and Information Technology*, 13, 107, 2026. https://doi.org/10.1186/s43067-026-00409-y. Springer Nature Link

Aslan, B., Balci, S., Kayabasi, A., Aslan, M. F., and Sinay, M. “Artificial intelligence and deep learning approaches for fault diagnosis in power systems: A comprehensive survey.” *Next Energy*, 12, 100703, 2026. https://doi.org/10.1016/j.nxener.2026.100703. ScienceDirect

“Development of machine learning algorithms for fault detection in power systems: A review.” *2024 International Conference on Science, Engineering and Business for Driving Sustainable Development Goals*, 2024. https://doi.org/10.1109/SEB4SDG60871.2024.10629955. IEEE Xplore

“Convolutional neural network based fault detection and classification models in power systems: A comparative review.” *2025 57th North American Power Symposium*, 2025. https://doi.org/10.1109/NAPS66256.2025.11272308. IEEE Xplore